



TANDEMBOX intivo

Always different, always unique

www.blum.com

Perfecting motion 

Create distinctiveness and harmony

As customer tastes become more sophisticated; the desire to create individual, highly original designs increase. TANDEMBOX intivo brings endless new possibilities to inspire and stimulate.

Combining silk white, terra black or stainless steel with sophisticated design inserts from a variety of materials, TANDEMBOX intivo is an exciting and creative solution for TANDEMBOX pull-outs.



Contents

4	Three colours, endless possibilities
6	The TANDEMBOX intivo principle
8	New design options
12	Design strength for all applications
14	Proven comfort of motion
16	Easy assembly and setup
18	All advantages at a glance
20	Order specification
67	Assembly
81	Adjustment
84	Removal
94	ORGA-LINE
141	Cleaning Instructions
142	The Blum brand

Three colours, endless possibilities



BOXCAP silk white



BOXCAP terra black



BOXCAP stainless steel



Stainless steel/Nero Assoluto



Silk white/Perspex white



Silk white/Zebrano wood



Terra black/Frosted glass



Stainless steel/Carrara marble



Terra black/Nero marquina



Terra black/Wenge



Silk white/Carrara marble



Silk white/Wenge



Terra black/Perspex black



Terra black/Leather



Stainless steel/Frosted glass



Silk white/Dark Seville olive



Silk white/Walnut



Terra black/Lava



Terra black/Royal



Silk white/Grooved aluminium



Stainless steel/Moldau acacia



Stainless steel/Zebrano wood



Silk white/Wallis plum



Terra black/Carrara marble

Design elements not supplied by Blum

The intivo principle: BOXCAP or BOXCOVER

TANDEMBOX intivo utilises specially developed drawer sides for high fronted pull-outs. Available in three distinctive finishes.



Silk white



Terra black



Stainless steel

The TANDEMBOX intivo drawer side works in conjunction with one of two design options.



BOXCAP – for a continuous design

Use a simple BOXCAP panel in the same material as the drawer side to create a continuous look and feel. Choose this option for complete simplicity and clean lines.



BOXCOVER and design element – for individual character

The combination of a design element with BOXCOVER opens up infinite creative opportunities. Develop your own collections, follow trends or customise pull-outs to meet individual customer choices and tastes.

The design element is attached to the drawer side and held in place by the BOXCOVER front and back fixing. Utilise design elements from any desired material including wood, glass, leather and stone.

Simple and timeless

All components of TANDEMBOX intivo have been carefully created to stand the test of time. By removing the gallery, we have also opened up a host of individual design options.



- Individual components such as the drawer side, BOXCAP, BOXCOVER and inner pull-outs are consistent in colour and material.
- Thanks to a groove in the drawer side edge, the BOXCAP and the design element can be attached seamlessly to the drawer side.
- This innovative solution (without gallery) creates a seamless and completely enclosed storage area for all high fronted pull-out requirements.
- The higher drawer side profile forms a harmonious whole – either with a simple BOXCAP drawer side or utilising a BOXCOVER with design element.



Effortless and completely versatile

TANDEMBOX intivo works with all applications, including; standard pull-outs, inner pull-outs as well as individual solutions such as the unique SPACE CORNER and Sink drawer.





Complement or contrast the interior design

With TANDEMBOX intivo, you can unify the interior look of your furniture with the outside space ...



... or intentionally create accents and contrasts.



Integration and design strength – for all applications

For design consistency, TANDEMBOX intivo drawers and inner pull-outs are available in a choice of three finishes – silk white, terra black and stainless steel. Inner pull-outs are also available – either with a dedicated cross rail or by using an additional design element. For ease of installation, drawer dimensions have not changed.



ORGA-LINE

ORGA-LINE, the inner dividing system from Blum, makes it easy for your customers to stay organised. Existing ORGA-LINE systems can be used to create total design harmony, ORGA-LINE for high fronted pull-outs is also available in the TANDEMBOX intivo colour selection. A tool-free installation with infinite adjustment options for cross dividers, ORGA-LINE is completely flexible.



Unsurpassed running action and ease of motion when opening and closing

Utilising the advanced running capabilities of TANDEMBOX and BLUMOTION, TANDEMBOX intivo brings together enhanced design opportunities, superior quality of motion and unsurpassed running action – even up to loads of 65 kg.



SERVO-DRIVE

Your customers will enjoy exceptional opening comfort with the SERVO-DRIVE electrical opening support system. A gentle pull on the handle or a light touch on the front is enough for TANDEMBOX intivo pull-outs to open smoothly and effortlessly.



BLUMOTION

Thanks to BLUMOTION soft-closing technology, TANDEMBOX intivo pull-outs close silently and with complete ease.



New technology, easy assembly and setup

The assembly of TANDEMBOX intivo is simple and effective. Whether you are working with a BOXCAP or BOXCOVER with design element; installation is easy to complete.

BOXCAP assembly:



Simply clip on BOXCAP to the drawer side.

Assembly of a design element and BOXCOVER:



The design element is inserted into the recess of the drawer side edge.



Slide the back and front BOXCOVER over the design element.

We engineered a system that would not need a gallery for TANDEMBOX intivo, to enable individualised design options. A further benefit of the new system was that we were able to fully integrate the whole mechanism for the 3-dimensional adjustment into the drawer side. For a perfect gap adjustment only a few turns with a screwdriver are required. Height, side and tilt adjustments can be carried out simply and easily through the aperture in the drawer side beneath the cover cap. The front can also be removed with a few turns.

Adjustment with just a few turns of the hand: thanks to the mechanism integrated into the drawer side



- 1 Tilt adjustment
- 2 Height adjustment
- 3 Side adjustment
- 4 Front removal

Many advantages at a glance

Design:

- Unlimited individual design options using design elements
- Uniform design across all TANDEMBOX intivo components including BOXCAP, BOXCOVER, inner pull-out and ORGA-LINE.
- Timeless, harmonious, high quality design
- Gap-free transition from drawer side and cap (BOXCAP or design element)
- High fronted pull-out without gallery
- Blum glass design elements are available via hardware distributors

Movement quality:

- Proven quality of motion through TANDEM smooth running action
- Option to include SERVO-DRIVE, the electrical opening support system
- Silent and effortless closing thanks to BLUMOTION

Technology:

- New front fixing delivers optimum stability
- Easy and tool-free assembly of BOXCOVER and BOXCAP
- Side, height, tilt adjustment and front removal are achieved via the side aperture, by removing the cover cap
- Existing TANDEMBOX assembly devices can be used
- No additional drilling is required. Cutting and visible surface work is limited to the creation of the design element.



TANDEMBOX intivo

Wide range of applications



TANDEMBOX intivo with BOXCOVER
and design element

Page 22



TANDEMBOX intivo inner pull-out
and design element

Page 28



SPACE CORNER with SYNCROMOTION and
design element

Page 35



TANDEMBOX intivo with BOXCAP

Page 25



TANDEMBOX intivo inner pull-out
with cross gallery

Page 32



SPACE CORNER with SYNCROMOTION with
BOXCAP

Page 40



Sink pull-out with BOXCOVER
and design element

Page 45



Suitable drawers for
TANDEMBOX intivo

Page 53



SPACE CORNER with
SYNCROMOTION – drawer

Page 59



Sink pull-out with BOXCAP

Page 49



Suitable inner drawers for
TANDEMBOX intivo

Page 56



ORGA-LINE for
TANDEMBOX intivo

Page 94


TANDEMBOX intivo

High fronted pull-out with BOXCOVER and design element


Product



Space requirement





Order specification




Order specification

2a, 2b	L drawer side left/right and cover caps			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	358L4502SA2		358L4502IA2
	500 mm	358L5002SA2		358L5002IA2
	550 mm	358L5502SA2		358L5502IA2
	650 mm	359L6502SA2		359L6502IA2
	SW Silk white			
	TS Terra black			

3	Back fixing left/right			
	Colour variants	SW	TS	Nickel plated
		Steel		Z30D000SL

4	Front fixing brackets for high fronted pull-out		
	EXPANDO	2x	ZSF.532E

9a, 9b	BOXCOVER front/back			
	Colour variants	SW	TS	
		Steel		Inox
		Z36L002G.S		Z36L002G.I
	Glass design elements	Page		64

Cabinet profiles			
Order specification	Page	66	

TANDEMBOX intivo

High fronted pull-out with BOXCOVER and design element

Planning

Space requirements in cabinet

Front drilling distance for EXPANDO

Back installation dimensions

Cutting dim. for 16 mm chipboard

KB	Cabinet width
LW	Inner cabinet width
NL	Nominal length

Design element cutting dimensions

According to standard (DIN EN 14749 Edition Nov. 2005), no safety glass is stipulated in combination with TANDEMBOX intivo.

The upper edge is a polished flat-ended edge with a 1 mm +/- 0.5 mm bevel.

X = NL - 60 mm

Assembly, removal and setup

Page67


TANDEMBOX intivo

High fronted pull-out with BOXCAP


Product



Space requirement



Order specification





TANDEMBOX intivo


High fronted pull-out with BOXCAP

Order specification

2a, 2b	L drawer side left/right and cover caps			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	358L4502SA2	358L4502IA2	
	500 mm	358L5002SA2	358L5002IA2	
	550 mm	358L5502SA2	358L5502IA2	
	650 mm	359L6502SA2	359L6502IA2	
	SW	Silk white		
	TS	Terra black		





3	Back fixing left/right			
	Colour variants	SW	TS	Nickel plated
		Steel		
		Z30D000SL		

9	BOXCAP left/right			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	Z37L440S.D	Z37L440I.D	
	500 mm	Z37L490S.D	Z37L490I.D	
	550 mm	Z37L540S.D	Z37L540I.D	
	650 mm	Z37L640S.D	Z37L640I.D	

4	Front fixing brackets for high fronted pull-out		
	EXPANDO	2x	ZSF.532E

Cabinet profiles		
Order specification	Page	66

Planning




TANDEMBOX intivo

Inner pull-out with design element


Product



Space requirement





Order specification





Order specification

2a, 2b	L drawer side left/right and cover caps			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	358L4502SA2		358L4502IA2
	500 mm	358L5002SA2		358L5002IA2
	550 mm	358L5502SA2		358L5502IA2
	650 mm	359L6502SA2		359L6502IA2
	SW	Silk white		
	TS	Terra black		

9a, 9b	BOXCOVER front/back			
	Colour variants	SW	TS	
		Steel		Inox
		Z36L002G.S		Z36L002G.I
	Glass design elements	Page		64

3	Back fixing left/right			
	Colour variants	SW	TS	Nickel plated
		Steel		
				Z30D000SL

4a, 4b, 4c	Front fixing left/right and cover caps			
	Colour variants	SW	TS	Nickel plated
		Steel		
				ZIF.81D0





5	Front piece with groove			
	Colour variants	SW	TS	Nickel plated
		Aluminium		
	For cutting to size			Z31L1036AN

Cabinet profiles			
Order specification			Page 66

TANDEMBOX intivo


Inner pull-out with design element

Planning



Planning

Design element for side cutting dimensions




According to standard (DIN EN 14749 Edition Nov. 2005), no safety glass is stipulated in combination with TANDEMBOX intivo.

The upper edge is a polished flat-ended edge with a 1 mm +/- 0.5 mm bevel.

X = NL - 60 mm

Design element for front piece with groove cutting dimensions



According to standard (DIN EN 14749 Edition Nov. 2005), no safety glass is stipulated in combination with TANDEMBOX intivo.

The upper edge is a polished flat-ended edge with a 1 mm +/- 0.5 mm bevel.

X = LW - 118 mm


TANDEMBOX intivo

Inner pull-out with cross gallery


Product



Space requirement





Order specification





Order specification


2a, 2b	L drawer side left/right and cover caps			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	358L4502SA2	358L4502IA2	
	500 mm	358L5002SA2	358L5002IA2	
	550 mm	358L5502SA2	358L5502IA2	
	650 mm	359L6502SA2	359L6502IA2	
	SW Silk white			
	TS Terra black			

9	BOXCAP left/right			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	Z37L440S.D	Z37L440I.D	
	500 mm	Z37L490S.D	Z37L490I.D	
	550 mm	Z37L540S.D	Z37L540I.D	
	650 mm	Z37L640S.D	Z37L640I.D	

3	Back fixing left/right			
	Colour variants	SW	TS	Nickel plated
		Steel		
		Z30D000SL		






4a, 4b, 7b	Front fixing left/right and cover caps			
	Colour variants	SW	TS	Nickel plated
		Steel		
		ZIF.81D0		
	SW Silk white			
	TS Terra black			

5	Front piece without groove			
	Colour variants	SW	TS	Nickel plated
		Aluminium		
	For cutting to size	Z31L1036A		

7a	Rectangular cross gallery			
	Colour variants	SW	TS	Nickel plated
		Aluminium		
	For cutting to size	ZRG.1046Z		

Cabinet profiles			
Order specification	Page	66	

Planning




TANDEMBOX intivo

SPACE CORNER with SYNCROMOTION with BOXCOVER


Product




Space requirement





Order specification




Order specification


2a, 2b	L drawer side left/right and cover caps			
				
	Colour variants	SW	TS	
	Nominal length		Steel	Inox
	650 mm		359L6502SA2	359L6502IA2
	SW Silk white			
	TS Terra black			


9a, 9b	BOXCOVER front/back			
				
	Colour variants	SW	TS	
			Steel	Inox
			Z36L002G.S	Z36L002G.I
	Glass design elements			Page 64


3	Corner back fixing left/right			
				
	Colour variants	SW	TS	Nickel plated
			Steel	
				Z30D000SL45


4	SYNCROMOTION set			
				
	Colour variants	SW	TS	RAL7037
			Nylon	
				Z33D0L00A6


Composed of:

4a	Front Syncro fitting	
		
	1x	—


4f	Gap template	
	4 mm	
	orange	1x —

4b	Corner front piece	
	left/right	
	1x	—


4g	BLUMOTION	
		
	2x	—

4c	Front fixing Syncro	
		
	4x	—

4h	Countersunk screw	
	M5 x 25	
	2x	—

4d	Front fixing roll	
	left/right	
	1x	—

4i	Nylon screw	
	4.8 x 30	
	3x	—





4e	Connecting link	
	left/right	
	1x	—

Cabinet profiles		
Order specification		
	Page	66

TANDEMBOX intivo

SPACE CORNER with SYNCROMOTION with BOXCOVER

Planning



Planning

Cutting dim. for 16 mm chipboard

$FB = PM - PtA - SL - PD - FS - (2.828 - (FR \times 0.586))$

$LW = (PM - PtA - DistD) \times 1.414$

DistD	Cabinet connection distance	PD	Stop bumper thickness
FB	Front width	NL	Nominal length
FR	Front radius	PM	Installation dimension
FS	Front thickness	PtA	Connection cabinet installation depth
LW	Inner cabinet width	SL	Side gap

We recommend planning with **DYNALOG**.

Design element cutting dimensions

According to standard (DIN EN 14749 Edition Nov. 2005), no safety glass is stipulated in combination with TANDEMBOX intivo.

The upper edge is a polished flat-ended edge with a 1 mm +/-0.5 mm bevel.


$X = NL - 60 \text{ mm}$

TANDEMBOX intivo

SPACE CORNER with SYNCROMOTION with BOXCOVER


Planning

Cutting dim. for 16 mm chipboard



B	Drawer base width
L	Drawer base drawer side length
LW	Inner cabinet width
NL	Nominal length
PM	Installation dimension
PtA	Connection cabinet installation depth
Y	Drawer back width

We recommend planning with DYNALOG.




TANDEMBOX intivo

SPACE CORNER with SYNCROMOTION with BOXCAP


Product



Space requirement




Order specification





TANDEMBOX intivo


SPACE CORNER with SYNCROMOTION with BOXCAP

Order specification


2a, 2b	L drawer side left/right and cover caps			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	650 mm	359L6502SA2		359L6502IA2
	SW	Silk white		
	TS	Terra black		


9	BOXCAP left/right			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	650 mm	Z37L640S.D		Z37L640I.D


3	Corner back fixing left/right			
	Colour variants	SW	TS	Nickel plated
		Steel		
		Z30D000SL45		


4	SYNCROMOTION set			
	Colour variants	SW	TS	RAL7037
		Nylon		
		Z33D0L00A6		


Composed of:

4a	Front Syncro fitting	
		
	1x	-


4f	Gap template	
	4 mm	
	orange	1x -

4b	Corner front piece	
	left/right	
	1x	-


4g	BLUMOTION	
		
	2x	-

4c	Front fixing Syncro	
		
	4x	-

4h	Countersunk screw	
	M5 x 25	
	2x	-





4d	front fixing roll	
	left/right	
	1x	-

4i	Nylon screw	
	4.8 x 30	
	3x	-

4e	Connecting link	
	left/right	
	1x	-

Cabinet profiles		
Order specification		
Page		66

Planning




TANDEMBOX intivo

SPACE CORNER with SYNCROMOTION with BOXCAP

Planning

Cutting dim. for 16 mm chipboard



$$FB = PM - PtA - SL - PD - FS - (2.828 - (FR \times 0.586))$$

$$LW = (PM - PtA - DistD) \times 1.414$$

DistD	Cabinet connection distance	PD	Stop bumper thickness
FB	Front width	NL	Nominal length
FR	Front radius	PM	Installation dimension
FS	Front thickness	PtA	Connection cabinet installation depth
LW	Inner cabinet width	SL	Side gap

We recommend planning with **DYNALOG**.


TANDEMBOX intivo

Sink pull-out with BOXCOVER


Product



Space requirement




Order specification





Order specification

2a, 2b	L drawer side left/right and cover caps			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	358L4502SA2		358L4502IA2
	500 mm	358L5002SA2		358L5002IA2
	SW	Silk white		
	TS	Terra black		

4	Front fixing brackets for high fronted pull-out		
	EXPANDO	2x	ZSF.532E

	Cabinet profiles	
	Order specification	Page 66


9a, 9b	BOXCOVER front/back			
	Colour variants	SW	TS	
		Steel		Inox
		Z36L002G.S		Z36L002G.I
	Glass design elements			Page 64


3	Steel back L-shape left/right			
	Colour variants	SW	TS	Nickel plated
		Steel		
				Z30D120S.6S


TANDEMBOX intivo

Sink pull-out with BOXCOVER

Order specification


11	Sink drawer side left/right			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	358M4504SG		358M4504IG
	500 mm	358M5004SG		358M5004IG
	SW Silk white			
	TS Terra black			

13	Adapter left/right	
	Colour variants	RAL7037
		Nylon
		Z30N0002.6Z


12	Back fixing left/right for centre piece			
	Colour variants	SW	TS	Nickel plated
		Steel		
				Z30N000S.04

Planning


Space requirements in cabinet



Front drilling distance for EXPANDO



Design element cutting dimensions




According to standard (DIN EN 14749 Edition Nov. 2005), no safety glass is stipulated in combination with TANDEMBOX intivo.

The upper edge is a polished flat-ended edge with a 1 mm ± 0.5 mm bevel.


$X = NL - 60 \text{ mm}$

We recommend planning with **DYNALOG**.

Cutting dim. for 16 mm chipboard



Centre piece
53 mm



KB	Cabinet width
LW	Inner cabinet width
NL	Nominal length
SPW	Internal width between sink drawer sides



What is DYNALOG?

- Planning and ordering software
- Allowing for flexible cabinet planning including a collision check
- Easy fittings selection including an installation check
- Providing complete data for manufacturing and ordering
- Can be integrated with hardware distributor part numbers and prices


TANDEMBOX intivo

Sink pull-out with BOXCAP


Product




Space requirement





Order specification




Order specification

2a, 2b	L drawer side left/right and cover caps			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	358L4502SA2		358L4502IA2
	500 mm	358L5002SA2		358L5002IA2
	SW	Silk white		
	TS	Terra black		

9	BOXCAP left/right			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	Z37L440S.D		Z37L440I.D
	500 mm	Z37L490S.D		Z37L490I.D

3	Steel back L-shape left/right			
	Colour variants	SW	TS	Nickel plated
		Steel		
				Z30D120S.6S


4	Front fixing brackets for high fronted pull-out		
	EXPANDO	2x	ZSF.532E


Cabinet profiles		
	Order specifications	Page 66


TANDEMBOX intivo

Sink pull-out with BOXCAP


Order specification

11	Sink drawer side left/right			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	358M4504SG		358M4504IG
	500 mm	358M5004SG		358M5004IG
	SW Silk white			
	TS Terra black			

13	Adapter left/right	
	Colour variants	RAL7037
		Nylon
		Z30N0002.6Z

12	Back fixing left/right for centre piece			
	Colour variants	SW	TS	Nickel plated
		Steel		
				Z30N000S.04

Planning



Cutting dim. for 16 mm chipboard



Base
NL - 22 mm

Centre piece
53 mm



KB	Cabinet width
LW	Inner cabinet width
SPW	Internal width between sink drawer sides


Suitable drawers for TANDEMBOX intivo

Drawer M height


Product




Space requirement





Order specification



Order specification

2a, 2b	M drawer side left/right and cover caps			
		SW	TS	
	Nominal length	Steel		Inox
	270 mm	358M2702SA		358M2702IA
	350 mm	358M3502SA		358M3502IA
	400 mm	358M4002SA		358M4002IA
	450 mm	358M4502SA		358M4502IA
	500 mm	358M5002SA		358M5002IA
	550 mm	358M5502SA		358M5502IA
	650 mm	359M6502SA		359M6502IA
	SW	Silk white		
	TS	Terra Balck		

3	Back fixing left/right			
		SW	TS	Nickel plated
	Colour variants	Steel		
		Z30M000S.04		

4	Front fixing bracket		
	INSERTA version	2x	ZSF.3902


	Cabinet profiles		
	Order specification	Page	66

Suitable drawers for TANDEMBOX intivo


Drawer M height

Planning


Space requirements in cabinet




Drilling dimensions for INSERTA and knock-in front



Back installation dimensions



Cutting dim. for 16 mm chipboard



Back

84 mm


LW - 87 mm

Base

Chipboard back

NL - 24 mm

LW - 75 mm



KB Cabinet width

LW Inner cabinet width

NL Nominal length


Suitable inner drawers for TANDEMBOX intivo

Inner drawer height M


Product



Space requirement




Order specification





Suitable inner drawers for TANDEMBOX intivo


Inner drawer height M


Order specification


2a, 2b	M drawer side left/right and cover caps			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	270 mm	358M2702SA		358M2702IA
	350 mm	358M3502SA		358M3502IA
	400 mm	358M4002SA		358M4002IA
	450 mm	358M4502SA		358M4502IA
	500 mm	358M5002SA		358M5002IA
	550 mm	358M5502SA		358M5502IA
	600 mm	359M6502SA		359M6502IA
	SW Silk white			
	TS Terra black			

3	Back fixing left/right			
	Colour variants	SW	TS	Nickel plated
		Steel		
		Z30M000S.04		

4a, 4c	Front fixing left/right			
	Colour variants	SW	TS	Nickel plated
		Steel		
	Incl. locking piece Z31A0008	ZIF.80M0		






5	Front piece without groove			
	Colour variants	SW	TS	Nickel plated
		Aluminium		
	For cutting to size	Z31L1036A		

6b	Handle and latch (optional)			
	Colour variants	SW		RAL7037
		Nylon		
		ZIF.80M7		

6c	Handle			
	Colour variants	SW		RAL7037
		Nylon		
		ZIF.80M5		

Cabinet profiles			
Order specification	Page	66	

Planning




Suitable drawers for TANDEMBOX intivo

SPACE CORNER with SYNCROMOTION – drawer


Product



Space requirement




Order specification





Suitable drawers for TANDEMBOX intivo

SPACE CORNER with SYNCROMOTION – drawer


Order specification


2a, 2b	M drawer side left/right and cover caps			
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	650 mm	359M6502SA		359M6502IA
	SW	Silk white		
	TS	Terra black		


3	Corner back fixing left/right			
	Colour variants	SW	TS	Nickel plated
		Steel		
		Z30M000S.45		


4	SYNCROMOTION set		
	Colour variants	SW	RAL7037
		Nylon	
		Z33M00E0A6	


Composed of:

4a	Front Syncro fitting	
	1x	–


4f	Gap template	
	4 mm	
	orange	1x –

4b	Corner front piece	
	left/right	
	1x	–


4g	BLUMOTION	
	2x	–

4c	Front fixing Syncro	
	2x	–

4h	Countersunk screw	
	M5 x 25	
	2x	–





4d	front fixing roll	
	left/right	
	1x	–

4i	Nylon screw	
	4.8 x 30	
	3x	–

4e	Connecting link	
	left/right	
	1x	–

Cabinet profiles		
Order specification		
Page		66


Planning



Suitable drawers for TANDEMBOX intivo


SPACE CORNER with SYNCROMOTION – drawer

Planning




Planning

Cutting dim. for 16 mm chipboard



B	Drawer base width
L	Drawer base drawer side length
LW	Inner cabinet width
NL	Nominal length
PM	Installation dimension
PtA	Connection cabinet installation depth
Y	Drawer back width

We recommend planning with **DYNALOG**.



TANDEMBOX intivo

Glass design elements

The design elements made from Optiwhite glass are available in frosted and clear versions for the following applications:



Optiwhite frosted



Optiwhite clear




For high fronted pull-outs (side)



For inner pull-outs (side and front)

Possible print area for your logo or pattern



+ Print area for total surface printing

Print area of logo

Glass design elements – using your dimensions

You can also use TANDEMBOX intivo for any special requirements. Blum design elements can be cut to any desired dimension: Simply, score the desired line of breakage with a glass cutter and then break along the line. Blum offers a high-quality glass cutting set for this purpose. It can be ordered via hardware distributors.

... and with individualised design elements

Make your TANDEMBOX intivo pull-outs unique, e.g. using an individualised pattern or your logo on the design element. Minimum order quantities for these specials start at 50 pieces per type. All that's required for this is your logo or pattern in digital format: For example; in "FH", "ai" or "EPS" formats such as those that are used for printing your business documents. Almost the entire area of the design element is suitable for printing individual designs.

According to standard (DIN EN 14749 Edition Nov. 2005), no safety glass is stipulated in combination with TANDEMBOX intivo. The upper edge is a polished flat-ended edge with a 1 mm +/-0.5 mm bevel.

TANDEMBOX intivo

Dimensions and ordering

Order specification


Glass design element (side)	
Optiwhite frosted/clear*	
Nominal length	
450 mm	Z37G390D*
500 mm	Z37G440D*
550 mm	Z37G490D*
650 mm	Z37G590D*

Glass design element (for inner pull-out front)	
Optiwhite frosted/clear*	Side panel thickness
Cabinet width	16 mm
450 mm	Z37G300D*
600 mm	Z37G450D*
900 mm	Z37G750D*
1,200 mm	Z37G1050D*


* Please note glass comes with "intivo" logo

* Please note the glass type when ordering (frosted or clear)

Individually printed glass

Glass design element with your logo		
	The minimum order quantity for the glass design element with your logo (side and/or front) is 50 pieces each.	Z37GXXXD

Glass cutting set

Glass cutting set		
		65.8000


TANDEMBOX intivo

Cabinet profile and fixing positions


Order specification

Cabinet profiles left/right				
	Nominal length		30 kg	65 kg
	270 mm		558.2701B	
	350 mm		558.3501B01	
	400 mm		558.4001B01	
	450 mm		558.4501B01	556.4501B
	500 mm		558.5001B	556.5001B
	550 mm		558.5501B	556.5501B
	650 mm			556.6501B

Cabinet profile 558 – 30 kg



Cabinet profile 556 – 65 kg




TANDEMBOX intivo

Assembly


BOXCOVER - variant 1

Front and BOXCOVER assembly



BOXCOVER – variant 2 – for sensitive fronts

Front and BOXCOVER assembly




TANDEMBOX intivo

Assembly


BOXCAP – variant 1

Front and BOXCAP assembly



BOXCAP – variant 2 – for sensitive fronts

Front and BOXCAP assembly




TANDEMBOX intivo

Assembly



Inner pull-out with design element

Front piece assembly



Inner pull-out with design element



Front piece assembly



TANDEMBOX intivo





Assembly

Inner pull-out with design element



Inner pull-out with cross gallery

Front piece assembly




TANDEMBOX intivo

Assembly


Inner pull-out with cross gallery

Front piece assembly




Inner pull-out with cross gallery

BOXCAP assembly



Locking piece assembly


Starting with cabinet width > 600 mm



Suitable drawers for TANDEMBOX intivo

Assembly

Drawer height M




Suitable inner drawers for TANDEMBOX intivo


Assembly

Inner drawer

Front piece assembly




Front assembly



Locking piece assembly


Starting with cabinet width > 600 mm



Suitable inner drawers for TANDEMBOX intivo


Assembly

Inner drawer




Inner drawer


Handle and latch assembly





Latch activated



Deactivate latch



Release



TANDEMBOX intivo

Adjustment

Setting identical for BOXCOVER and BOXCAP




Setting identical for BOXCOVER and BOXCAP

1

Tilt adjustment

1a


Adjustment



1b


Adding tension

For front height > 400 for additional stability




2

Height adjustment



3

Side adjustment





Both sides require adjustment.

Suitable drawers for TANDEMBOX intivo

Adjustment

Drawer height M




TANDEMBOX intivo

Removal

Removal of front identical for BOXCOVER and BOXCAP

Front removal




TANDEMBOX intivo


Removal

BOXCOVER


Design element removal



BOXCOVER – variant 1




BOXCOVER – variant 2 – for sensitive fronts




TANDEMBOX intivo

Removal

BOXCOVER – variant 1




BOXCAP – variant 2 – for sensitive fronts



Inner pull-out with design element or cross gallery
Removal identical for BOXCOVER and BOXCAP

Front piece removal




TANDEMBOX intivo

Removal


Inner pull-out with design element

Design element removal



Inner pull-out with design element

BOXCOVER removal




TANDEMBOX intivo

Removal

Inner pull-out with cross gallery

BOXCAP removal




Suitable drawers for TANDEMBOX intivo

Removal

Drawer height M

Front removal




Suitable inner drawers for TANDEMBOX intivo

Removal

Inner drawer

Front piece removal



ORGA-LINE

For optimal organisation in the kitchen

ORGA-LINE from Blum is a superior quality inner dividing system for high fronted pull-outs and drawers. Thanks to a selection of adjustable containers and dividers in a range of sizes and co-ordinating finishes; ORGA-LINE solutions ensure everything is easily visible and highly accessible for your customers.

The five kitchen zones

For the best user experience, the kitchen should be divided into five distinctive zones: Consumables, Non-consumables, Cleaning, Preparation and Cooking.



Consumables zone

Items in the Consumables zone consist of anything that is eaten and needs to be replenished. The refrigerator is part of this zone. In simple terms most grocery shopping is stored in this zone.



Non-consumables zone

The Non-consumables zone contains items such as dishes, cutlery, glassware, plastic containers and their lids, jugs and pitchers and a few small appliances. ORGA-LINE Plate holders with rubber feet allow plates to be safely stored in a drawer, eliminating the need to lift heavy stacks out of and into overhead wall cabinets.



Cleaning zone

The items found in the Cleaning zone are centered around the sink. Cleaning agents, sponges, dish detergents and cleaning utensils are stored here. Space should also be planned for garbage and recycling containers.



Preparation zone

The Preparation zone holds items used during meal preparation. The storage items in this zone require an assortment of drawer depths. Shallow spaces are needed for utensils while deeper drawers are required for appliances, mixing bowls and containers filled with open ingredients.



Cooking zone

The items in the Cooking zone are needed close at hand. Centered around the cook top, oven and microwave, this area requires the storage of oven mitts to move pots, pans, baking dishes and trays.

ORGA-LINE for TANDEMBOX intivo

Consumables


Product



Description


The storage space in pull-outs can be properly organised using adjustable cross and lateral dividers. Food items are easily accessible and won't tip over. A quick look in the pantry unit is all you need to make your grocery list.

Space requirement



KB	Cabinet width
LW	Inner cabinet width
NL	Nominal length


Order specification



"Consumables" zone

Order specification

Set content												
	Carcase width [mm]											
Nominal length	275	300	400	450	500	550	600	800	900	1,000	1,200	
450 mm	1 x QT			1 x QT, 2 x LT				1 x QT, 3 x LT				
500 mm	2 x QT			2 x QT 3 x LT				2 x QT 6 x LT				
550 mm												
650 mm												
SPACE CORNER												
650 mm	1 x QT for cutting to size 2 x LT											
Special cabinet widths: Cross divider for cutting to size									Page	135		
	QT Cross divider											
	LT Lateral divider											

Adapter profile for cross divider					
					
	Colour variants		SW	TS	
	Nominal length		Steel		Inox
	450 mm	2 x	Z49L422S		Z49L422I
	500 mm	2 x	Z49L472S		Z49L472I
	550 mm	2 x	Z49L522S		Z49L522I
	650 mm	2 x	Z49L622S		Z49L622I
	SW	Silk white			
	TS	Terra black			

ORGA-LINE sets for nominal length 450 mm				
				
	Colour variants	SW	TS	
	Cabinet width	Steel		Inox
	450 mm	ZFL.45BUS4		ZFL.45BUI4
	600 mm	ZFL.60BUS4		ZFL.60BUI4
	900 mm	ZFL.90BUS4		ZFL.90BUI4

ORGA-LINE sets for nominal lengths 500–650 mm				
				
	Colour variants	SW	TS	
	Cabinet width	Steel		Inox
	450 mm	ZFL.45BUS6		ZFL.45BUI6
	600 mm	ZFL.60BUS6		ZFL.60BUI6
	900 mm	ZFL.90BUS6		ZFL.90BUI6

ORGA-LINE for drawers

Cutlery


Product




Description

High-quality ORGA-LINE sets with dishwasher-safe, stainless steel containers provide proper organisation for your cutlery. The individual cutlery containers can be laid out to suit your requirements and they are removable – practical for buffets or garden parties.

Space requirement




Order specification





"Non consumables" zone

Order specification


All images show NL 500, layout will differ slightly for other nominal lengths


Cabinet width 275 mm		
	Nominal length	
	450 mm	ZSI.450BI1N
	500 mm	ZSI.500BI1N
	550 mm	ZSI.550BI1N
	650 mm	ZSI.650BI1N

Cabinet width 450 mm		
	Nominal length	
	450 mm	ZSI.45VE14
	500 mm	ZSI.45VE16
	550 mm	ZSI.45VE17

Cabinet width 300/350 mm		
	Nominal length	
	450 mm	2x ZSI.450BI1N
	500 mm	2x ZSI.500BI1N
	550 mm	2x ZSI.550BI1N
	650 mm	2x ZSI.650BI1N

Cabinet width 600 mm		
	Nominal length	
	450 mm	ZSI.60VE14
	500 mm	ZSI.60VE16
	550 mm	ZSI.60VE17


Cabinet width 400 mm		
	Nominal length	
	450 mm	ZSI.450BI3N
	500 mm	ZSI.500BI3
	550 mm	ZSI.550BI3
	650 mm	ZSI.650BI3


Cabinet width 800 mm		
	Nominal length	
	450 mm	ZSI.80VE14
	500 mm	ZSI.80VE16
	550 mm	ZSI.80VE17

ORGA-LINE for drawers

Cutlery

Order specification

Cabinet width 900 mm		
	Nominal length	
	450 mm	ZSI.90VEI4
	500 mm	ZSI.90VEI6
	550 mm	ZSI.90VEI7

SPACE CORNER installation dimension 900–1,200 mm		
	Nominal length	
	650 mm	ZSI.500BI3E

Cabinet width 1,000 mm		
	Nominal length	
	450 mm	ZSI.10VEI4
	500 mm	ZSI.10VEI6
	550 mm	ZSI.10VEI7

ORGA-LINE for drawers

Odds and ends


Product




Description

A drawer for all kinds of odds and ends is essential for a kitchen. Each item and utensil is stored properly in durable stainless steel boxes. Pencils, papers or paper clips – everything is stored neatly and close to hand when needed.

Space requirement



Order specification



“Non consumables” zone


ORGA-LINE for drawers


Odds and ends


Order specification


All images show NL 500, layout will differ slightly for other nominal lengths


Cabinet width 275–400 mm		
	Nominal length	
	450 mm	ZSI.450BI1N
	500 mm	ZSI.500BI1N
	550 mm	ZSI.550BI1N
	650 mm	ZSI.650BI1N


Cabinet width 450–550 mm		
	Nominal length	
	500 mm	ZSI.500MI3
	550 mm	ZSI.550MI3

Cabinet width 600 mm		
	Nominal length	
	450 mm	ZSI.60VUI4
	500 mm	ZSI.60VUI6
	550 mm	ZSI.60VUI7

Cabinet width 800 mm		
	Nominal length	
	450 mm	ZSI.80VUI4
	500 mm	ZSI.80VUI6
	550 mm	ZSI.80VUI7

Cabinet width 900 mm		
	Nominal length	
	450 mm	ZSI.90VUI4
	500 mm	ZSI.90VUI6
	550 mm	ZSI.90VUI7

Cabinet width 1,000 mm		
	Nominal length	
	450 mm	ZSI.10VUI4
	500 mm	ZSI.10VUI6
	550 mm	ZSI.10VUI7

SPACE CORNER installation dimension 900–1,200 mm		
	Nominal length	
	650 mm	ZSI.500FI3

ORGA-LINE for TANDEMBOX intivo

Plates/Dishes


Product



Description


Storing plates in a full extension pull-out? The ORGA-LINE plate holder makes this ergonomic solution possible – even for corner cabinet areas. Up to 12 plates can be securely stored in each plate holder (no tipping or sliding). They are easy to remove and transport. Setting a large table is achieved with minimal effort.

Space requirement



KB	Cabinet width
LW	Inner cabinet width
NL	Nominal length

Order specification




“Non consumables” zone

ORGA-LINE for TANDEMBOX intivo

Crockery

Order specification

Plate-holder			
	Colour		RAL7037
	Plate diameters	180 – 320 mm	Nylon
	Overall height	171 mm	ZTH.0350
	Stacking height of plates	144 mm	
	Recommended quantity for the high fronted pull-out		
	(valid for nominal lengths 450 – 650 mm):		
	Starting with cabinet width:	400 mm	2 pcs.
		800 mm	4 pcs.
		1,000 mm	6 pcs.
	Recommended quantity for SPACE CORNER		
	Up to installation dimension	1,050 mm	2 pcs.
	Starting with installation dimension	1,050 mm	3 pcs.

ORGA-LINE for TANDEMBOX intivo

Plastic containers


Product



Description


With ORGA-LINE, the frantic search for the appropriate sized container is over. Cross and lateral dividers provide excellent organisation. The correct lid for the container is then easy to see.

Space requirement



KB	Cabinet width
LW	Inner cabinet width
NL	Nominal length

Order specification



“Non consumables” zone


ORGA-LINE for TANDEMBOX intivo

Plastic containers

Order specification

Set content												
	Carcase width [mm]											
Nominal length	275	300	400	450	500	550	600	800	900	1,000	1,200	
450 mm	1 x QT			1 x QT 2 x LT				1 x QT 3 x LT				
500 mm												
550 mm												
650 mm												
SPACE CORNER												
650 mm	1 x QT for cutting to size 2 x LT											
Special cabinet widths: Cross divider for cutting to size										Page	135	
	QT	Cross divider										
	LT	Lateral divider										

ORGA-LINE sets for nominal lengths 450–650 mm			
	Colour variants	SW	TS
	Cabinet width	Steel	
	450 mm	ZFL.45BUS4	ZFL.45BUI4
	600 mm	ZFL.60BUS4	ZFL.60BUI4
	900 mm	ZFL.90BUS4	ZFL.90BUI4

Adapter profile for cross divider				
				
	Colour variants		SW	TS
	Nominal length		Steel	
	450 mm	2 x	Z49L422S	Z49L422I
	500 mm	2 x	Z49L472S	Z49L472I
	550 mm	2 x	Z49L522S	Z49L522I
	650 mm	2 x	Z49L622S	Z49L622I
	SW	Silk white		
TS	Terra black			

ORGA-LINE for drawers

Cleaning materials


Product




Description

An inner drawer in the lower sink cabinet provides additional organisation. Using an ORGA-LINE inner dividing system, you can properly store cleaning utensils such as sponges, kitchen towels or rubbish bags. The individual containers are made from stainless steel making them dishwasher-proof and very easy to clean.

Space requirement



Order specification




"Cleaning" zone


ORGA-LINE for drawers


Cleaning materials


Order specification

All images show NL 500, layout will differ slightly for other nominal lengths

Cabinet width 600 mm		
	Nominal length	
	450 mm	ZSI.60VUI4
	500 mm	ZSI.60VUI6
	550 mm	ZSI.60VUI7

Cabinet width 1,000 mm		
	Nominal length	
	450 mm	ZSI.10VUI4
	500 mm	ZSI.10VUI6
	550 mm	ZSI.10VUI7

Cabinet width 800 mm		
	Nominal length	
	450 mm	ZSI.80VUI4
	500 mm	ZSI.80VUI6
	550 mm	ZSI.80VUI7

Cabinet width 900 mm		
	Nominal length	
	450 mm	ZSI.90VUI4
	500 mm	ZSI.90VUI6
	550 mm	ZSI.90VUI7

ORGA-LINE for TANDEMBOX intivo

Waste storage/separation and household cleaners


Product



Description


Cleaning materials are stored hygienically in the ORGA-LINE bottle holder and kept separate from the recycling/waste containers via a dividing wall. Now waste separation can be done without mess or fuss.

Space requirement



KB	Cabinet width
LW	Inner cabinet width
NL	Nominal length

Order specification



"Cleaning" zone


ORGA-LINE for TANDEMBOX intivo


Waste storage/separation and household cleaners

Order specification

Set content	
Nominal length	
450 mm	3 x QT, 1 x FW
500 mm	4 x QT, 1 x FW
550 mm	
650 mm	5 x QT, 1 x FW
	FW Bottle rack
	QT Cross divider

ORGA-LINE set bottle rack for cabinet width 300 mm			
	Colour variants	SW	TS
	Nominal length	Steel	
	450 mm	ZFL.30BFS4	ZFL.30BFI4
	500 mm	ZFL.30BFS6	ZFL.30BFI6
	550 mm	ZFL.30BFS7	ZFL.30BFI7

Adapter profile for cross divider			
	Colour variants	SW	TS
	Nominal length	Steel	
	450 mm	Z49L422S	Z49L422I
	500 mm	Z49L472S	Z49L472I
	550 mm	Z49L522S	Z49L522I
	650 mm	Z49L622S	Z49L622I
	SW Silk white		
	TS Terra black		

Dividing wall			
	Colour variants	SW	TS
	Nominal length	Steel	
	450 mm	Z46L420S	Z46L420I
	500 mm	Z46L470S	Z46L470I
	550 mm	Z46L520S	Z46L520I
	You will require an additional dividing wall for cabinet widths 900 mm and higher.		

"Cleaning" zone

ORGA-LINE for drawers

Kitchen utensils, knives and small electric appliances

Product





Description

ORGA-LINE inner dividing systems provide organisation and secure storage for drawers with kitchen utensils, knives and small electric appliances. Everything that you may need for preparing meals is securely stored here. The ORGA-LINE knife block safely stores up to nine knives of different sizes. Even large knives with heavy handles are held firmly in place thanks to the handle support. The film and foil dispensers make it quick and easy to cut film and foil smoothly.

Order specifications

Space requirement




“Preparation” zone


ORGA-LINE for drawers


Kitchen utensils, knives and small electric appliances


Order specification


All images show NL 500, layout will differ slightly for other nominal lengths


Cabinet width 275–300 mm		
	Nominal length	
	450 mm	ZSI.450BI1N
	500 mm	ZSI.500BI1N
	550 mm	ZSI.550BI1N
	650 mm	ZSI.650BI1N

Cabinet width 800 mm		
	Nominal length	
	450 mm	ZSI.80VUI4
	500 mm	ZSI.80VUI6
	550 mm	ZSI.80VUI7

Cabinet width 400–550 mm		
	Nominal length	
	450 mm	ZSI.450FI2N
	500 mm	ZSI.500FI2N
	550 mm	ZSI.550FI2N
	650 mm	ZSI.650FI2N


Cabinet width 900 mm		
	Nominal length	
	450 mm	ZSI.90VUI4
	500 mm	ZSI.90VUI6
	550 mm	ZSI.90VUI7


Cabinet width 600 mm		
	Nominal length	
	450 mm	ZSI.60VUI4
	500 mm	ZSI.60VUI6
	550 mm	ZSI.60VUI7


Cabinet width 1,000 mm		
	Nominal length	
	450 mm	ZSI.10VUI4
	500 mm	ZSI.10VUI6
	550 mm	ZSI.10VUI7


"Preparation" zone

Order specification

SPACE CORNER installation dimension 900–1,200		
	Nominal length	
	650 mm	ZSI.500FI3

Knife holder		
		
	Colour	RAL7037
		Nylon
	Suitable for cabinet widths 400 mm and higher	ZSZ.02M0
	Can also be used in the utensil divider.	

Film Dispenser		
		
	Colour	RAL7037
		Nylon
	Suitable for TANDEMBOX NL = 450-650mm	ZSZ.01F1
	Can also be used in the utensil divider.	

Foil Dispenser		
		
	Colour	RAL7037
		Nylon
	Suitable for TANDEMBOX NL = 450-650mm	ZSZ.02F1
	Can also be used in the utensil divider.	

ORGA-LINE for TANDEMBOX intivo

Open food items


Product



Description


Opened packets of food items such as flour, sugar and rice can be stored under the main work area. High cross and lateral dividers ensure that goods are held securely yet are easy to view and access. So when you need it, the right ingredient is close at hand.

Space requirement



KB	Cabinet width
LW	Inner cabinet width
NL	Nominal length


Order specification



"Preparation" zone

Order specification

Set content												
	Carcase width [mm]											
Nominal length	275	300	400	450	500	550	600	800	900	1,000	1,200	
450 mm	1 x QT			1 x QT, 2 x LT				1 x QT, 3 x LT				
500 mm	2 x QT			2 x QT 3 x LT				2 x QT 6 x LT				
550 mm												
650 mm												
SPACE CORNER												
650 mm	1 x QT for cutting to size 2 x LT											
Special cabinet widths: Cross divider for cutting to size										Page	135	
	QT	Cross divider										
	LT	Lateral divider										

Adapter profile for cross divider					
					
	Colour variants		SW	TS	
	Nominal length		Steel		Inox
	450 mm	2 x	Z49L422S		Z49L422I
	500 mm	2 x	Z49L472S		Z49L472I
	550 mm	2 x	Z49L522S		Z49L522I
	650 mm	2 x	Z49L622S		Z49L622I
	SW	Silk white			
TS	Terra black				

ORGA-LINE sets for nominal length 450 mm				
				
	Colour variants		SW	TS
	Cabinet width		Steel	
	450 mm		ZFL.45BUS4	ZFL.40BUI4
	600 mm		ZFL.60BUS4	ZFL.60BUI4
	900 mm		ZFL.90BUS4	ZFL.90BUI4

ORGA-LINE sets for nominal lengths 500–650 mm				
				
	Colour variants		SW	TS
	Cabinet width		Steel	
	450 mm		ZFL.45BUS6	ZFL.45BUI6
	600 mm		ZFL.60BUS6	ZFL.60BUI6
	900 mm		ZFL.90BUS6	ZFL.90BUI6

ORGA-LINE for TANDEMBOX intivo

Spices


Product



Description


When cooking/preparing meals, the right spices/herbs should always be close at hand. The ORGA-LINE spice holder securely stores both small and large containers – all within easy reach. It is also very easy to clean – it's even dishwasher-safe.

Space requirement



KB	Cabinet width
LW	Inner cabinet width
NL	Nominal length

Order specification





"Preparation" zone


Order specification

Set content			
	Carcase width [mm]		
Nominal length	300	400	450
450 mm	1 x QT		1 x QT, 2 x LT
500 mm			
550 mm			
650 mm	2 x QT		2 x QT, 3 x LT
Special cabinet widths: Cross divider for cutting to size			Page 135
	QT	Cross divider	
	LT	Lateral divider	

Adapter profile for cross divider				
	Colour variants		SW	TS
	Nominal length		Steel	
	450 mm	2 x	Z49L422S	Z49L422I
	500 mm	2 x	Z49L472S	Z49L472I
	550 mm	2 x	Z49L522S	Z49L522I
	650 mm	2 x	Z49L622S	Z49L622I
	SW	Silk white		
	TS	Terra black		

ORGA-LINE sets for nominal lengths 450–550 mm				
	Colour variants		SW	TS
	Cabinet width		Steel	
	450 mm		ZFL.45BUS4	ZFL.45BUI4

ORGA-LINE sets for nominal lengths 600–650 mm				
	Colour variants		SW	TS
	Cabinet width		Steel	
	450 mm		ZFL.45BUS6	ZFL.45BUI6

Spice holder				
	Colour			Inox
	Cabinet width	Width		
	300 mm	212 mm	2 pcs.	ZFZ.30G0I
	400 mm	312 mm	2 pcs.	ZFZ.40G0I
	450 mm	362 mm	2 pcs.	ZFZ.45G0I

ORGA-LINE for TANDEMBOX intivo

Bottles


Product




Description

The high fronted pull-out is especially well-suited for storing bottles of every size. Adjustable cross dividers ensure bottles are held securely in place. Easy access to oils, vinegar, marinades and dressings. The hygienic stainless steel bottle rack is very easy to clean.

Space requirement



Order specification




"Preparation" zone

Order specification

Set content bottle rack	
Nominal length	
450 mm	3 x QT, 1 x FW
500 mm	4 x QT, 1 x FW
550 mm	
650 mm	5 x QT, 1 x FW
	FW Bottle rack
	QT Cross divider

ORGA-LINE set bottle rack for cabinet width 300 mm				
				
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	ZFL.30BFS4		ZFL.30BFI4
	500 mm	ZFL.30BFS6		ZFL.30BFI6
	550 mm	ZFL.30BFS7		ZFL.30BFI7

Adapter profile for cross divider				
				
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	2x	Z49L422S	Z49L422I
	500 mm	2x	Z49L472S	Z49L472I
	550 mm	2x	Z49L522S	Z49L522I
	650 mm	2x	Z49L622S	Z49L622I
	SW Silk white			
	TS Terra black			

ORGA-LINE for TANDEMBOX intivo

Bottles and cutting boards


Product




Description

The high pull-out can now also be adapted to store cutting boards along with bottles. This highly practical solution makes it easy to find the right cutting board and saves unnecessary bending and stretching. If the contents of one of the bottles should leak then; no problem. The removable stainless steel tray of the ORGA-LINE set is very easy to clean.

Space requirement



Order specification





"Preparation" zone

Order specification

Set content	
Nominal length	Cabinet width 400 mm and higher
450 mm	3 x QT, 1 x FW
500 mm	4 x QT, 1 x FW
550 mm	
650 mm	5 x QT, 1 x FW
	FW Bottle rack
	QT Cross divider

ORGA-LINE set bottle rack for cabinet width 300 mm				
				
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	ZFL.30BFS4		ZFL.30BFI4
	500 mm	ZFL.30BFS6		ZFL.30BFI6
	550 mm	ZFL.30BFS7		ZFL.30BFI7

Adapter profile for cross divider				
				
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	Z49L422S		Z49L422I
	500 mm	Z49L472S		Z49L472I
	550 mm	Z49L522S		Z49L522I
	650 mm	Z49L622S		Z49L622I
	SW Silk white			
	TS Terra black			

Dividing wall				
				
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	Z46L420S		Z46L420I
	500 mm	Z46L470S		Z46L470I
	550 mm	Z46L520S		Z46L520I
	Starting at cabinet width 500 mm 1 pce. additional			
	Starting at cabinet width 600 mm 2 pce. additional			

ORGA-LINE for TANDEMBOX intivo

Bottles and open food items


Product



Description


Thanks to ORGA-LINE, food can now be organised alongside bottles in a pull-out. High side walls and adjustable cross and lateral dividers prevent bottles from falling over. The stainless steel bottle rack is easy to clean with a cloth or in the dishwasher.

Space requirement



KB	Cabinet width
LW	Inner cabinet width
NL	Nominal length

Order specification




"Preparation" zone

Order specification

Set content	
Nominal length	
450 mm	3 x QT, 1 x FW
500 mm	4 x QT, 1 x FW
550 mm	5 x QT, 1 x FW
650 mm	
	FW Bottle rack
	QT Cross divider

ORGA-LINE set bottle rack for cabinet width 300 mm				
				
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	ZFL.30BFS4		ZFL.30BFI4
	500 mm	ZFL.30BFS6		ZFL.30BFI6
	550 mm	ZFL.30BFS7		ZFL.30BFI7

Adapter profile for cross divider				
				
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	2x	Z49L422S	Z49L422I
	500 mm	2x	Z49L472S	Z49L472I
	550 mm	2x	Z49L522S	Z49L522I
	650 mm	2x	Z49L622S	Z49L622I
	SW	Silk white		
	TS	Terra black		


Dividing wall				
				
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	Z46L420S		Z46L420I
	500 mm	Z46L470S		Z46L470I
	550 mm	Z46L520S		Z46L520I


ORGA-LINE for TANDEMBOX intivo


Bottles and open food items

Order specifications

Set content		
	Carcase width [mm]	
Nominal length	900	1,200
450 mm	1 x QT, 3 x LT	
500 mm	2 x QT, 6 x LT	
550 mm		
650 mm		
Special cabinet widths: Cross divider for cutting to size		Page 135
	QT	Cross divider
	LT	Lateral divider

Cross divider for cutting to size			
	Colour variants	SW	TS Nickel plated
		Alu	
		Z40L1077A	
	Length 1,077 mm		
	Cutting: Inner cabinet width - 91 mm		

Cross divider connector			
	Colour variants	SW	TS RAL7037
		Nylon	
		Z40L0002	

Lateral divider			
	Colour variants	SW	TS
		Steel Inox	
		Z43L100S Z43L100I	
	Length 100 mm		

"Preparation" zone

ORGA-LINE for drawers

Cooking utensils


Product




Description

Whether you are stirring soup or turning meat – the tools you need should be close to hand in the cooking area. Using ORGA-LINE inner dividing systems, drawers under the cooktop are well organised providing quick access to the right utensil.

Space requirement



Order specifications




“Cooking” zone


ORGA-LINE for drawers


Cooking utensils


Order specification

All images show NL 500, layout will differ slightly for other nominal lengths

Cabinet width 600 mm		
	Nominal length	
	450 mm	ZSI.60VUI4
	500 mm	ZSI.60VUI6
	550 mm	ZSI.60VUI7

Cabinet width 1,000 mm		
	Nominal length	
	450 mm	ZSI.10VUI4
	500 mm	ZSI.10VUI6
	550 mm	ZSI.10VUI7

Cabinet width 800 mm		
	Nominal length	
	450 mm	ZSI.80VUI4
	500 mm	ZSI.80VUI6
	550 mm	ZSI.80VUI7

Cabinet width 900 mm		
	Nominal length	
	450 mm	ZSI.90VUI4
	500 mm	ZSI.90VUI6
	550 mm	ZSI.90VUI7

ORGA-LINE for TANDEMBOX intivo

Pots, lids, pans and cooking utensils


Product




Description

Cooking items that are used on a regular basis should be kept near the oven and cooktop. With ORGA-LINE, you can organise the interior of your high fronted pull-out so that pots and lids are stored together. High back and side walls provide secure storage – preventing pot handles from jutting out. If need be, there is even additional space for commonly-used cooking utensils.

Space requirement



Order specification



"Cooking" zone

ORGA-LINE for TANDEMBOX intivo

Pots, lids, pans and cooking utensils

Order specification

Set content					
	Carcase width [mm]				
Nominal length	600	800	900	1,000	1,200
450 mm	1 x QT 2 x LT	1 x QT, 3 x LT			
500 mm	2 x QT 3 x LT	2 x QT 6 x LT			
550 mm					
650 mm					
Special cabinet widths: Cross divider for cutting to size				Page	135
	QT	Cross divider			
	LT	Lateral divider			

Adapter profile for cross divider					
			SW	TS	
	Colour variants		Steel		Inox
	Nominal leng				
	450 mm	2x	Z49L422S	Z49L422I	
	500 mm	2x	Z49L472S	Z49L472I	
	550 mm	2x	Z49L522S	Z49L522I	
	650 mm	2x	Z49L622S	Z49L622I	

ORGA-LINE sets for nominal length 450 mm				
		SW	TS	
	Colour variants	Steel		Inox
	Cabinet width			
	600 mm	ZFL.60BUS4	ZFL.60BUI4	
	900 mm	ZFL.90BUS4	ZFL.90BUI4	
	SW	Silk white		
	TS	Terra black		

ORGA-LINE sets for nominal lengths 500–650 mm				
		SW	TS	
	Colour variants	Steel		Inox
	Cabinet width			
	600 mm	ZFL.60BUS6	ZFL.60BUI6	
	900 mm	ZFL.90BUS6	ZFL.90BUI6	

ORGA-LINE for TANDEMBOX intivo

Baking ingredients


Product




Description

Do you bake a lot in the kitchen? Baking ingredients should be kept close to the oven and cooktop to save time and effort. All ingredients can be stored within easy reach in a spacious high fronted pull-out equipped with ORGA-LINE cross and lateral dividers.

Space requirement



Order specification



"Cooking" zone

ORGA-LINE for TANDEMBOX intivo

Baking ingredients

Order specification

Set content											
	Carcase width [mm]										
Nominal length	275	300	400	450	500	550	600	800	900	1,000	1,200
450 mm	1 x QT			1 x QT, 2 x LT				1 x QT, 3 x LT			
500 mm	2 x QT			2 x QT 3 x LT				2 x QT 6 x LT			
550 mm											
650 mm											
Special cabinet widths: Cross divider for cutting to size									Page		135
	QT		Cross divider								
	LT		Lateral divider								

Adapter profile for cross divider				
	Colour variants	SW TS		
	Nominal length	Steel		Inox
	450 mm	2 x	Z49L422S	Z49L422I
	500 mm	2 x	Z49L472S	Z49L472I
	550 mm	2 x	Z49L522S	Z49L522I
	650 mm	2 x	Z49L622S	Z49L622I
	SW Silk white			
	TS Terra black			

ORGA-LINE sets for nominal length 450 mm			
	Colour variants	SW	TS
	Cabinet width	Steel Inox	
	450 mm	ZFL.45BUS4	ZFL.45BUI4
	600 mm	ZFL.60BUS4	ZFL.60BUI4
	900 mm	ZFL.90BUS4	ZFL.90BUI4

ORGA-LINE sets for nominal lengths 500–650 mm			
	Colour variants	SW	TS
	Cabinet width	Steel Inox	
	450 mm	ZFL.45BUS6	ZFL.45BUI6
	600 mm	ZFL.60BUS6	ZFL.60BUI6
	900 mm	ZFL.90BUS6	ZFL.90BUI6

ORGA-LINE for TANDEMBOX intivo

Baking trays and baking forms


Product



Description


Having baking ingredients nearby is only half the battle. You also need to have; baking trays, cake tins, accessories and utensils close to hand. These can be stored in an upright position in a high fronted pull-out using ORGA-LINE dividing walls. This saves space and improves accessibility.

Space requirement



KB	Cabinet width
LW	Inner cabinet width
NL	Nominal length

Order specification



“Cooking” zone

ORGA-LINE for TANDEMBOX intivo

Baking trays and baking forms

Order specification

Dividing wall			
			
	Colour variants	SW	TS
	Nominal length	Steel	
	450 mm	Z46L420S	Z46L420I
	500 mm	Z46L470S	Z46L470I
	550 mm	Z46L520S	Z46L520I
	Starting at cabinet width 400 mm 2 pce.		
	Starting at cabinet width 500 mm 3 pce.		

"Cooking" zone

ORGA-LINE for drawers


Special cabinet widths


It is possible to customise drawers with special widths using ORGA-LINE modular sets. The customer has the option to integrate further accessories into drawers and pull-outs. (Such as the plate-holder, knife holder, spice holder, film and foil dispenser).


Order specification for drawers

All images show NL 500, layout will differ slightly for other nominal lengths

SPACE CORNER		
	Nominal length	
	650 mm	ZSI.500BI3E

SPACE CORNER		
	Nominal length	
	650 mm	ZSI.500MI3E


Cutlery sets (B)		
	Nominal length	
	450 mm	ZSI.450BI1N
	500 mm	ZSI.500BI1N
	550 mm	ZSI.550BI1N
	650 mm	ZSI.650BI1N


Cutlery sets (B)		
	Nominal length	
	450 mm	ZSI.450BI3N
	500 mm	ZSI.500BI3
	550 mm	ZSI.550BI3
	650 mm	ZSI.650BI3


ORGA-LINE for drawers


Special cabinet widths


Order specifications for drawers

Utensil combination sets (F)		
	Nominal length	
	450 mm	ZSI.450FI2N
	500 mm	ZSI.500FI2N
	550 mm	ZSI.550FI2N
	650 mm	ZSI.650FI2N

Combination sets (K)		
	Nominal length	
	500 mm	ZSI.500KI4

Utensil combination sets (F)		
	Nominal length	
	450 mm	ZSI.450FI3
	500 mm	ZSI.500FI3

Combination sets (M)		
	Nominal length	
	450 mm	ZSI.450MI3
	500 mm	ZSI.500MI3
	550 mm	ZSI.550MI3

Combination sets (K)		
	Nominal length	
	500 mm	ZSI.500KI2N

Constant ORGA-LINE measurements

500 mm - Actual length: 474 mm

550 mm - Actual length: 524 mm


Height: 64.2 mm

ORGA-LINE for TANDEMBOX intivo

Accessories

Order specification for drawers

Containers		
	88 x 88 mm	ZSI.010SI
	88 x 176 mm	ZSI.020SI
	88 x 264 mm	ZSI.030SI
	88 x 352 mm	ZSI.040SI


Adjustable cross dividers		
	88 mm	ZSI.010Q
	176 mm	ZSI.020Q


ORGA-LINE accessories

Knife holder		
	177.5 x 260 mm	ZSZ.02M0

Spice holder		
	Cabinet width	Width
	300 mm	212 mm
	400 mm	312 mm
	450 mm	362 mm

Plate-holder		
	Plate diameters	180-320 mm
	Overall height	171 mm
	Stacking height of plates	144 mm


Film Dispenser		
	Colour	RAL7037
		Nylon
	Suitable for TANDEMBOX NL = 450-650mm	ZSZ.01F1
	Can also be used in the utensil divider.	


Foil Dispenser		
	Colour	RAL7037
		Nylon
	Suitable for TANDEMBOX NL = 450-650mm	ZSZ.02F1
	Can also be used in the utensil divider.	


ORGA-LINE for TANDEMBOX intivo


Special cabinet widths

Order specification

Adapter profile for cross divider				
	Colour variants	SW	TS	
	Nominal length	Steel		Inox
	450 mm	2 x	Z49L422S	Z49L422I
	500 mm	2 x	Z49L472S	Z49L472I
	550 mm	2 x	Z49L522S	Z49L522I
	650 mm	2 x	Z49L622S	Z49L622I
SW Silk White				
TS Terra black				

Cross divider connector				
	Colour variants			
		SW	TS	RAL7037
		Nylon		
		Z40L0002		

Lateral divider				
	Colour variants			
		SW	TS	
		Steel		Inox
	Length 100 mm	Z43L100S		Z43L100I


Cross divider for cutting to size				
	Colour variants	SW	TS	Nickel plated
		Alu		
		Z40L1077A		
	Length 1,077 mm			
	Cutting: Inner cabinet width - 91 mm			

ORGA-LINE for TANDEMBOX intivo

Assembly and setup

BOXCOVER and BOXCAP

Adapter profile for ORGA-LINE assembly



The distance profile should not be damaged when inserting the adapter profile.



Identical for BOXCOVER and BOXCAP

ORGA-LINE for TANDEMBOX intivo

Assembly and setup


BOXCOVER and BOXCAP

Design element and BOXCOVER assembly




BOXCOVER and BOXCAP

BOXCAP assembly



Cross divider for cutting to size

Cross divider connector assembly





ORGA-LINE for TANDEMBOX intivo

Assembly and setup

BOXCOVER and BOXCAP


Cross divider assembly



Identical for BOXCOVER and BOXCAP.

BOXCOVER and BOXCAP


Cross divider adjustment



The diagram shows a 3D perspective of a rectangular container with a cross divider. Arrow 1 points down on the left side of the divider, and arrow 2 points right in the center of the divider, indicating adjustment points.

Identical for BOXCOVER and BOXCAP.

Lateral divider assembly



The diagram shows a 3D perspective of a rectangular container with a lateral divider. A downward arrow points to the divider, indicating the assembly direction.

Identical for BOXCOVER and BOXCAP.

Cleaning instructions


Care instructions for Blum products

Blum products are maintenance-free. But during assembly and usage of Blum products, it is inevitable that stains or other kinds of contamination will appear on the product or on its surfaces. When cleaning, make sure to treat the protective areas and materials with care. Avoid applying abrasive chemicals as they will cause damage to the product. These instruction procedures show how proper treatment should be performed in order to maintain the good condition of the purchased goods.




> Stainless steel sides and stainless steel ORGA-LINE

- Use only commercial cleaners for stainless steel (usually obtainable as spray). Read carefully the cleaning instructions located on the canister before applying.
- Rub with a soft, damp cloth. Dry cloth should be used for wet surfaces.
- Wipe small contaminations with solvent soap (mixed with water) and then mop away the small water drops with a dry cloth.
- ORGA-LINE: Dishwasher-proof using commercial dishwasher cleaner.



> Plastic coated surfaces and plastic components

- Rub with a soft, damp cloth. Dry cloth should be used for wet surfaces.
- Wipe small contaminations with solvent soap (mixed with water) and then mop away the small water drops with a dry cloth.



> Nickel- or chrome-plated surfaces

- Rub with a soft, damp cloth. Dry cloth should be used for wet surfaces.



> Under the above-mentioned circumstances, the following should NOT be used:

- Scrubbing household cleaners and accessories (bristly cloths, sponges, etc).
- Strong alkaline or strong acid substances.
- Chloral cleaners.
- Micro fibres might harm surfaces in the event of scrubbing.
- Acetone solvents, nitro thinners, Sal ammoniac or solvents whose nomenclature contains terms that begin with TrifTetra.

Perfecting motion

Putting perfect motion into practice

Renowned for exceptional design and superior quality of motion, Blum enhances the kitchen users' experience.

With employees all over the world working to implement our vision of perfect motion, Blum crafts and evolves technologies and solutions to meet and exceed the expectations of kitchen users.

For over half a century, quality has been at the heart of the Blum philosophy. Our superior fittings systems are synonymous with design and performance excellence: demonstrated by superior functionality, thoughtful design and exceptional durability.

Our goal is to achieve complete customer satisfaction. By focusing entirely on the pursuit of excellence across our range of products and services, we also endeavour to deliver the best possible support to our furniture partners. We remain in a constant dialogue with kitchen users and regularly exchange information with furniture manufacturers, joiners and distributors. Remaining approachable and accessible at all levels enables us to apply our efforts and resources appropriately, and to best effect.



Blum Australia Pty Ltd
P.O. Box 1615
Green Valley NSW 2168
Toll Free: 1800 179 186
E-mail: info.au@blum.com
www.blum.com

